EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	(("20040004995") or ("20030189988") or ("20010018719") or ("20050207519") or ("5548108") or ("4310840") or ("20040141573") or ("4710923") or ("5146473") or ("5790592") or ("5544140") or ("6088385") or ("5673291") or ("6542452") or ("5694434") or ("6618431") or ("6236283") or ("7092438") or ("20030143951") or ("20010047434") or ("20050124330") or ("20030138040") or ("7039000") or ("20030179737") or ("20030112743") or ("20050207483") or ("20050219213") or ("20070121748") or ("20050281281") or ("5745792") or ("4005423") or ("6108720") or ("4364397") or ("6167133") or ("5138440") or ("6209041") or ("6404357") or ("6284963") or ("20020031099") or ("6460161") or ("20040071199") or ("6490676") or ("20060008180") or ("6650694") or ("20070083685") or ("6701341") or ("6122703") or ("6791556") or ("6401162") or ("6834074") or ("6530059") or ("7139707") or ("6580771") or ("20010023634") or ("6624767") or ("20020176489") or ("6912244") or ("20030043159") or ("6985516") or ("20040047405") or ("7010016") or ("7002934") or ("7167531") or ("5222101") or ("7190749") or ("4706263") or	US-PGPUB; USPAT	OR	OFF	2009/09/14 16:34

		("20060215777") or ("4707841") or ("20070025424") or ("5311545") or ("20070040704") or ("5394437") or ("20070111664") or ("5539730") or ("5497153") or ("5550869") or ("5714950") or ("5625828") or ("6084883") or ("5666378") or ("5020080") or ("5878088") or ("5418778") or ("5930296") or ("5892980") or ("6075814") or ("6032033") or ("6122246") or ("6425091") or ("6128357") or ("6621876") or ("6317473") or ("6704324") or ("6369857") or ("6724851") or ("6393049") or ("20020122467") or ("6502138") or ("6507602") or ("6563861")).PN.				
S2	100	710/52.ccls. AND (@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 signal) AND (plurality NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:34
S3	18	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME (three WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:34
S4	52	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S5	262	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S6	101	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second AND third) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35

S7	31	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S8	81	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME fifth NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S9	6	(@ay<="2002" OR @rlad<="20020703") AND (triple OR quintuple) WITH buffer AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S10	62	(@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol) AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S11	101	(@ay<="2002" OR @rlad<="20020703") AND overflow WITH buffer AND (sample OR symbol) AND multi$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S12	65	(@ay<="2002" OR @rlad<="20020703") AND three WITH overflow NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S13	8	(@ay<="2002" OR @rlad<="20020703") AND three WITH "overflow buffer"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S14	92	(@ay<="2002" OR @rlad<="20020703") AND scalable NEAR3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S15	73	(@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S16	189	(@ay<="2002" OR @rlad<="20020703") AND plurality NEAR5 buffer AND ((turn$3 ADJ off) OR shut$down OR disabl$3 OR stop$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35

S17	62	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH buffer SAME ((turn$3 ADJ off) OR shut $down OR disabl$3 OR stop $4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:35
S18	6	(("6795489") or ("6853839") or ("6985516") or ("20020176489") or ("20040165567") or ("6714527")).PN.	US-PGPUB; USPAT	OR	OFF	2009/09/14 16:35
S19	2	(("6650140") or ("6615307")).PN.	US-PGPUB; USPAT	OR	OFF	2009/09/14 16:35
S20	205	(@ay<="2002" OR @rlad<="20020703") AND process$3 WITH (sample OR symbol) WITH buffer SAME (during OR while OR simultaneous$2) WITH (receiv $3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S21	14	(("20010002199") or ("20010036195") or ("20030099210") or ("20030128678") or ("20030235238") or ("4991088") or ("5838671") or ("5963563") or ("6167062") or ("6496795") or ("6577649") or ("6603801") or ("6748010") or ("7035318")).PN.	US-PGPUB; USPAT	OR	OFF	2009/09/14 16:36
S22	28	("20010002199" | "20010038633" | "20020094017" | "20020176489" | "20030099210" | "20030147365" | "20040165567" | "4347580" | "4484028" | "4550414" | "4841574" | "5164959" | "5838671" | "5864714" | "5892980" | "5963563" | "6115728" | "6122444" | "6167062" | "6577649" | "6615307" | "6650140" | "6714527" | "6721295" | "6795489" | "6853839" | "6985516").PN. OR ("7406102").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/14 16:36

S23	3	(@ay< = "2002" OR @rlad< = "20020703") AND process$3 WITH (sample OR symbol) WITH buffer SAME (if OR whenever OR "on condition") WITH (receiv$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S24	30	(@ay< = "2002" OR @rlad< = "20020703") AND process$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR "on condition") WITH (receiv$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S25	34	(@ay< = "2002" OR @rlad< = "20020703") AND process$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR conditional) WITH (receiv$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S26	5	(@ay< = "2002" OR @rlad< = "20020703") AND process$3 WITH (sample OR symbol) SAME (if OR whenever OR conditional) WITH (receiv$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S27	158	(@ay< = "2002" OR @rlad< = "20020703") AND receiv$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S28	65	(@ay< = "2002" OR @rlad< = "20020703") AND "375".clas. AND receiv$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S29	45	(@ay< = "2002" OR @rlad< = "20020703") AND "375".clas. AND conditional WITH process$3 SAME receiv $3 NEAR5 (data OR sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36
S30	82	(@ay< = "2002" OR @rlad< = "20020703") AND "375".clas. AND process$3 WITH (data OR sample OR symbol) SAME conditional WITH receiv$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:36

S31	7	(@ay<="2002" OR @rlad<="20020703") AND receiv$3 NEAR5 (next OR latter) NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:37
S32	4	"974935".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:37
S33	8	((("6647056") or ("6650694") or ("5164959") or ("4347580") or ("4484028") or ("4550414") or ("20020094017") or ("20030147365")).PN.	US-PGPUB; USPAT; EPO	OR	OFF	2009/09/14 16:37
S34	31	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME buffer AND processor WITH disabl$3 WITH (finish$3 OR complet$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:37
S35	74	(@ay<="2002" OR @rlad<="20020703") AND buffer AND processor WITH disabl$3 WITH (finish$3 OR complet$3) NEAR5 process$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:37
S36	47	(@ay<="2002" OR @rlad<="20020703") AND buffer AND processor NEAR5 disabl$3 WITH (finish$3 OR complet$3) NEAR5 process$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 16:37
S37	2	((("6,985,516") or ("4,347,580")).PN.	US-PGPUB; USPAT; EPO	OR	OFF	2009/09/14 16:56
S38	21	(@ay<="2002" OR @rlad<="20020703") AND buffer AND processor NEAR5 disabl$3 WITH (finish$3 OR complet$3) NEAR5 process$3 AND gat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 17:34
S39	5	(@ay<="2002" OR @rlad<="20020703") AND buffer AND processor NEAR5 disabl$3 WITH (finish$3 OR complet$3) NEAR5 process$3 AND gat$3 WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 17:35
S40	73	(@ay<="2002" OR @rlad<="20020703") AND disabl$3 NEAR5 processor SAME gat$3 WITH clock	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/09/14 18:13

| S41 | 5 | (@ay<="2002" OR @rlad<="20020703") AND disabl$3 NEAR5 processor SAME gat$3 WITH clock SAME (finish$3 OR complet$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/09/14 18:19 |

EAST Search History (Interference)

<This search history is empty>

9/21/2009 2:42:55 PM
C:\Documents and Settings\hyu\My Documents\EAST\Workspaces
\10613897_CDMA_Buffer_A4.wsp